

**IMPORTANT: To Prevent Oversudsing, DO NOT**  
Use More Than 1/4 cup Detergent

**⚠ DANGER**  
Do not allow children to operate machine.  
**DOOR IS EQUIPPED WITH INTERLOCK SAFETY DEVICE**  
Never try to open the door if:  
• Cycle has not finished.  
• Drum has not completely stopped.  
• Water has not been completely drained.

**LOGI PRO CONTROL**

OPERATING INSTRUCTIONS

- Select cycle to run
- Select detergent dispenser
- Select temperature
- Start cycle by pushing

WATER SENSING

PRO

ACCEL

STOP

P-25

SPORTS LAUNDRY SYSTEMS

SPORTS LAUNDRY SYSTEMS

SPORTS LAUNDRY SYSTEMS

# E-SERIES HIGH PERFORMANCE 20-POUND CAPACITY WASHER-EXTRACTOR

Designed to drive down gas, water and electrical costs while improving productivity, Sports Laundry Systems E-Series High-Performance Washer-Extractors deliver high-speed extract, an easy-to-install freestanding design, unmatched durability and the ultimate in programmability!


## INNOVATIVE TECHNOLOGY

The highly flexible Logi Pro Control offers 25 individually modifiable programs — each with up to 11 baths including multiple pre-wash, wash and rinse cycles. Variables within each bath — including wash temperature, water levels, cycle times, rotation and G-force extract speeds — can be individually programmed for maximum efficiency given the load type. E-Series Washers can also be programmed for automatic chemical injection — ensuring a consistent clean with every wash and eliminating the possibility of chemical overuse and resulting damage to fabric.



## STINGY ON WATER

E-Series technology allows for superior wash quality using considerably less water than most toploads on the market. A sump-less design, exclusive AquaFall™ system and a highly programmable control combine to slash water usage and ensure excellent wash quality. Compared with most top-load washers, which consume 31-40 gallons of water per load, E-Series uses as little as 13.4 gallons per load! Less water used equates to less water heated and additional savings in gas and electricity. No wonder it's ENERGY STAR® qualified as a top tier industrial washer for efficiency!



AquaFall™ System



Sumpless Design




Oversized Door

## E-SERIES DELIVER MORE USING LESS


### SMALLER MACHINE - GREATER OUTPUT

E-Series Washers fit into the same space as most top-load washers, yet offer 40% greater capacity. Larger loads equate to increased productivity. E-Series Washers use the same power requirements as top-load washers and as a result are an easy replacement for these less efficient models.



### MORE EFFICIENCY & DECREASED UTILITY COSTS

E-Series Washers use up to 57 percent less water per load! This translates into significant savings of water usage and water-heating costs. The high-speed extract of E-Series' further reduces utility costs by decreasing the gas or electricity used to dry a load.



### THE BOTTOM LINE — BOOSTED PRODUCTIVITY

How can E-Series Washers produce more laundry per hour when compared to larger, lower-performance machines? The answer lies in wash and dry throughput. E-Series Washers reach much higher extraction speeds — resulting in greater moisture removal, shortened dry time and boosted productivity. E-Series Washers move soiled laundry through the wash and dry process faster. This boosts productivity, reduces labor costs and extends linen life by minimizing exposure to dryer heat and tumbling.

\* Models Used in Comparison: Continental JWT820 top-load washer; Continental L1018 3-phase hard-mount washer; Continental EH020 1-phase E-Series Washer

## UNIQUE DESIGN

### HIGH-SPEED EXTRACT & FREESTANDING DESIGN

A 20-pound capacity washer, E-Series features a freestanding design that allows for extraction speeds of up to 300 G-force, about 200 G-force more than most top-load washers and 100-150 G-force more than most similarly sized hard-mount washers. The super-speed extract removes more water from each load — slashing dry time and resulting gas consumption by up to 50%! Production, in turn, is significantly enhanced using less labor and utilities. And, unlike hard-mount machines that must be bolted to concrete foundations, the freestanding design of E-Series Washers allows them to be easily installed and moved — using the same footprint as most top-load washers. To further facilitate easy installation, E-Series Washers use single-phase power which is easily available at most athletic facilities.



### PROVEN CONSTRUCTION, DURABILITY & LONGEVITY

E-Series Washers feature inner and outer drums of durable AISI-304 stainless steel, oversized bearings and bearing housings and a quality sealing system. They are engineered using as few welds as possible to attain unmatched strength. The oversized door, which allows for easy loading and unloading, is equipped with heavy-duty, bolt-style door hinges to withstand the rigors of constant use.

### EASE OF MAINTENANCE

Nearly all components are accessible via the front or top cover of the washer, which is easily removed without interfering with detergent dispensers. Bearings are lubricated for a lifetime, the poly-v belt needn't be tightened, and bearings and seals are easily replaced without removing the washer drum. Everything about E-Series mandates ease of maintenance and component accessibility. Choose from standard gravity drain or optional pump drain.



### ENERGY STAR QUALIFIED

Sports Laundry Systems E-Series Washers offer unrivaled efficiency for athletic laundries looking for a small-load commercial washer-extractor. E-Series Washers boast a superior 2.21 MEF (Modified Energy Factor) and 5.03 WCF (Water Consumption Factor); use just 13.4 gallons of water per load; and offer high-speed extract for shortened dry times and improved productivity. Energy Star qualified, E-Series Washers often qualify for local utility rebates.



### BACKED BY A COMMERCIAL WARRANTY

Engineered to withstand the rigors of constant use, E-Series Washers offer an industry-leading commercial warranty.

**CONTINENTALCARE**  
BUY WITH COMPLETE CONFIDENCE

3-YR LIMITED PARTS WARRANTY  
5-YR KEY COMPONENT WARRANTY

# E-SERIES HIGH PERFORMANCE 25-POUND CAPACITY DRYING TUMBLER

Equipped with an oversized door, dryer window and cylinder light, E-Series Drying Tumblers are not only easy to use, they are incredibly efficient! With up to 25 pounds of capacity and gas or electric heat, E-Series Dryers are the right choice for any athletic laundry with small load requirements. Loaded with industrial-grade features that ensure durability and simplify maintenance, E-Series Dryers are built to last.

## INDUSTRIAL-GRADE EFFICIENCY AND DURABILITY

Featuring AISI-304 stainless steel top, front and side panels, the E-Series Drying Tumbler echoes the efficiency and durability of the E-Series Washer-Extractor. The robust 7.0 cu. ft. cylinder and 1/3 HP motor are a perfect match in capacity and power to the E-Series Washer. In addition, E-Series Dryers boast efficient axial airflow that maximizes water removal. Laundry dries faster — resulting in a significant savings in labor and utility costs.

## ERGONOMIC DESIGN

Utilizing a sensible ergonomic design with an oversized door, cylinder light, unique dryer window, and optional elevation base, the E-Series Dryer makes loading and unloading a snap. The large door — with a left or right swing — features heavy-duty hinges to withstand the rigors of constant use.

## FLEXIBLE CONTROL

The dryer control, which mirrors the look of the E-Series Washer control, offers four temperature settings including high, medium, low and delicate. It couldn't be simpler to operate thanks to easy-to-understand icons that show operating instructions and a digital display that illuminates machine cycle status.



## EASY TO INSTALL, SERVICE & MAINTAIN

E-Series Dryers share the same dimensions and utility connections as most home-style dryers, and as a result, are an smart replacement for these less efficient models. Designed for minimal maintenance and simplified serviceability, the drying tumbler features a lint filter that's easy to reach and clean, but doesn't get in the way of users. When service is necessary, most components are accessible from the front — eliminating the need to move the machine. The motor, blower, heating element, gas valve and thermostats are serviceable through a lower front panel without having to disconnect the door switch.

## GAS OR ELECTRIC

Underwriters Laboratories (UL) and CSA International listed, E-Series Dryers are available in gas or electric heat.



## BACKED BY A COMMERCIAL WARRANTY

Constructed for longevity in the most demanding environments, E-Series Drying Tumblers are backed by an industry-leading 3-year commercial warranty.

**CONTINENTALCARE** |  
BUY WITH COMPLETE CONFIDENCE | 3-YR LIMITED PARTS WARRANTY



# ADVANCED ENGINEERING FOR UNRIVALED EFFICIENCY

## EHO20

Capacity lbs	20
Cylinder Diameter inch	21.1
Cylinder Depth inch	13.8
Cylinder Volume cu ft	2.8
Net Weight lbs	249
Crated Weight lbs	271
Machine Width inch	27
Machine Depth inch	27.6
Machine Height inch	42.5
Door Opening inch	12.7
Floor to Door inch	15.4
Shipping Dimensions inch (WxDxH)	28.3 x 29.1 x 47.7
Control Options	Logi Pro
Washing Speeds rpm	50
Spin Speeds rpm	50/100/400/600/800/970
G-force	0.75/3/101/143/183/300
Modified Energy Factor (MEF)*	2.21
Water Consumption Factor (WCF)*	5.03
Drain Diameter inch	1
pump	2
gravity	
Water Inlets inch (mm)	2@ 3/4
Recommended Water Pressure PSI	30-60
Water Flow gal/min	8
Motor Power kW	0.8

## KFE/KFG

Capacity lbs	up to 25
Cylinder Volume cu ft	7
Net Weight lbs (electric/gas)	150 / 155
Crated Weight lbs (electric/gas)	160 / 165
Machine Width inch	26.88
Machine Depth inch	28
Machine Height inch	44.34
Door Opening inch	23.5
Shipping Dimensions inch (WxDxH)	29.5 x 30.5 x 45
Exhaust Diameter inch	4
Exhaust Air Flow cfm	220
Cylinder Motor Power Hp	1/3
Gas Heating BTU/h	25,000
Gas Inlet Diameter inch	3/8 NPT



EHO20




KDG/KDE



STACKING OPTION

\* Modified Energy Factor (MEF) measured in cubic feet per kilowatt-hour per cycle. Water Consumption Factor (WCF) measured in gallons per cycle per cylinder cubic feet. MEF and WCF statistics are according to Department of Energy (DOE) testing standards report by Intertek, an independent testing laboratory.

\*\* Product specifications and details are subject to change without notice. For the most current and complete technical specifications, architectural line drawings and warranty information, please visit [www.sportslaundry.com](http://www.sportslaundry.com). E-Series Washer-Extractors are available in 20- to 255-pound capacities.



## WHAT'S YOUR GAME PLAN?

Completing laundry quickly and correctly is essential to efficient management of high school, collegiate and professional athletic programs and fitness facilities. That's why a Sports Laundry System, which saves time, labor and utilities, disinfects soiled and contaminated uniforms, loops, towels, helmets and pads. The proper care of athletic laundry is an everyday job. It's also essential to the health and safety of the team, training staff and coaches. Sports Laundry Systems team high-performance washers with disinfecting ozone injection and programmable dryers.

### LAUNDRY DESIGN & EQUIPMENT SIZING

No two athletic laundries are alike. Sports Laundry Systems offers free customized laundry design, equipment mix selection and sizing services to help athletic facilities to achieve a laundry with unmatched workflow, efficiency and productivity. Our experience within the industry allows us to closely advise our athletic facility customers — helping them outfit laundries for unmatched productivity using less labor, gas, water and electricity. At Sports Laundry Systems, we offer free operational and production cost studies to our valued customers.

### SIMPLE TO INSTALL

Sports Laundry Systems' freestanding E-Series Washers slide into place easily without concrete foundations and bolts, making for quick and inexpensive installations. Thus, they are perfect for small areas and second-story installations, or hard to reach locations. When hard-mount washers are used with a Sports Laundry System, the washers must be bolted to concrete foundations.

### GREEN FOCUSED

Equipped with green-engrained features that conserve water, energy and natural gas, Sports Laundry Systems bring advanced technologies and superior wash quality using considerably less water and virtually no hot water. Sports Laundry Systems work best using cold water, which also cuts natural gas costs. It can also be combined with a water reclamation system for even more savings. How much water does the Sports Laundry System save? Around 50 percent when compared with most other laundry solutions! It also cuts hot water usage by at least 30 percent! No wonder the Sports Laundry System qualifies for Leadership in Energy and Environmental Design (LEED) credits, which can contribute to LEED certification.

### STRENGTH & DURABILITY

Sports Laundry Systems are engineered for durability, long-life and ease-of-use to deliver years of trouble-free operation. No wonder Sports Laundry Systems backs its products with warranties that are among the best in the industry!

### FLEXIBLE FINANCING

CustomSelect offers flexible financing and competitive fixed rates to address virtually any term requirement or volume need. Feel good knowing that by choosing a Sports Laundry System, your laundry operation will quickly realize significant operational savings.

## DISTRIBUTED BY:

